



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

4601 N Monroe Street • Spokane, Washington 99205-1295 • (509)329-3400

January 10, 2012

Mr. Phillip Isaak
Isaak Land, Inc.
P.O. Box 953
Coulee City, WA 99115

Dear Mr. Isaak:

Re: Application for Change/Transfer under Ground Water Certificate No. G3-01352C
GRAN-11-08

On November 28, 2011, our office received from the Grant County Water Conservancy Board a Record of Decision and Report of Examination for the above referenced application for change/transfer of a water right certificate. In accordance with RCW 90.80.080 the Department of Ecology (Ecology) has reviewed the Record of Decision and Report of Examination and has considered all comments, protests, objections, and other relevant information submitted to the Department regarding the proposed change/transfer.

The Department has **modified** the decision of the Board and the proposed change/transfer of water right is **approved** under the following conditions:

Summary of Ecology's Final Order

MAXIMUM CUB FT/ SECOND	MAXIMUM GAL/MINUTE	MAXIMUM ACRE-FT/YR	TYPE OF USE, PERIOD OF USE				
	600	420	418 acre-feet for seasonal irrigation of 258.8 acres and 2.0 acre-feet for stockwater				
SOURCE				TRIBUTARY OF (IF SURFACE WATER)			
Six (6) Wells							
AT A POINT LOCATED:	¼	¼	SECTION	TOWNSHIP	RANGE	WRIA	COUNTY
Well #1	SE	NW	5	25N	30E	42	Grant
Well #2	NE	SW	5	25N	30E	42	Grant
Well #3	S½	S½	16	25N	30E	42	Grant
Well # 3 (replacement)	S½	S½	16	25N	30E	42	Grant
Well #4	NW	SE	16	25N	30E	42	Grant
Well # 5	NE	NW	18	25N	29E	42	Grant
LEGAL DESCRIPTION OF PROPERTY ON WHICH WATER IS TO BE USED AS APPROVED BY THE BOARD							
10 acres irrigation within the NE¼SW¼ and SE¼NW¼ of Section 5, T. 25 N., R. 30 E.W.M. (George Dormaier Family, LLC); 55 acres within the NW¼ of Section 18, T. 25 N., R. 29 E.W.M. (Gerald Dormaier); 10 acres within the NE¼, 125 acres within the SE¼, and 58.8 acres within the SW¼ of Section 21, T. 25 N., R. 30 E.W.M. (Isaak Land) All in Grant County, Washington							



Mr. Phillip Isaak
Isaak Land, Inc.
January 10, 2012
Page 2

On page 1 of the Report of Examination under the heading "WATER RIGHT PRIORITY DATE" reads: "December 16, 1963". **Ecology modifies this to read December 16, 1965.**

On page 3 of the Report of Examination under the heading "**BACKGROUND**", the first sentence of the second paragraph refers to the priority date of Ground Water Certificate G3-01352C as "December 16, 1963". **Ecology modifies this priority date to read: December 16, 1965.**

On page 3 of the Report of Examination under the heading "**Attributes of the water right as currently documented**" and sub-heading "Priority date, first use": the date reads "December 16, 1963". **Ecology modifies this to read December 16, 1965.**

You have a right to appeal this decision to the Pollution Control Hearing Board (PCHB) within 30 days of the date of receipt of this document. The appeal process is governed by Chapter 43.21B RCW and Chapter 371-08 WAC. "Date of receipt" is defined in RCW 43.21B.001(2).

To appeal, you must do the following within 30 days of the date of receipt of this decision:

- File your appeal and a copy of this decision with the PCHB (see addresses below). Filing means actual receipt by the PCHB during regular business hours.
- Serve a copy of your appeal and this decision on Ecology in paper form - by mail or in person. (See addresses below.) Email is not accepted.


You must also comply with other applicable requirements in Chapter 43.21B RCW and Chapter 371-08 WAC.

Street Addresses	Mailing Addresses
Department of Ecology Attn: Appeals Processing Desk 300 Desmond Drive SE Lacey, WA 98503	Department of Ecology Attn: Appeals Processing Desk PO Box 47608 Olympia, WA 98504-7608
Pollution Control Hearings Board 1111 Israel Road SW Suite 301 Tumwater, WA 98501	Pollution Control Hearings Board PO Box 40903 Olympia, WA 98504-0903

Mr. Phillip Isaak
Isaak Land, Inc.
January 10, 2012
Page 3

*For additional information visit the Environmental Hearings Office Website:
<http://www.eho.wa.gov> . To find laws and agency rules visit the Washington State Legislature
Website: <http://www.l.leg.wa.gov/CodeReviser> .*

DATED this 10th day of January, 2012 at Spokane, Washington.


Keith L. Stoffel
Section Manager
Water Resources Program
Eastern Regional Office

KLS:HS:ka

Enclosure: *Your Right to Be Heard*

By Certified Mail 7010 0290 0002 5455 7111

cc: Grant County Water Conservancy Board

7010 0290 0002 5455 7111

U.S. Postal Service
CERTIFIED MAIL™ RECEIPT
(Domestic Mail Only; No Insurance Coverage Provided)

For delivery information visit our website at www.usps.com

OFFICIAL USE

Postage	\$
Certified Fee	
Return Receipt Fee (Endorsement Required)	
Restricted Delivery Fee (Endorsement Required)	
Total Postage & Fees	\$

1/10/12
 Postmark
 Here

Sent To	MR. PHILLIP ISAAK
Street, Apt. No.; or PO Box No.	ISAAK LAND, INC. P.O. BOX 953
City, State, ZIP+4	COULEE CITY, WA 99115

PS Form 3800, August 2006

See Reverse for Instructions

SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

MR. PHILLIP ISAAK
 ISAAK LAND, INC.
 P.O. BOX 953
 COULEE CITY, WA 99115

COMPLETE THIS SECTION ON DELIVERY

A. Signature
☒ Agent
☒ Addressee

B. Received by (Printed Name)
 Phillip Isak

C. Date of Delivery

1/12/12

D. Is delivery address different from item 1? ☐ Yes
 If YES, enter delivery address below: ☐ No

3. Service Type

- | | |
|---|---|
| <input type="checkbox"/> Certified Mail | <input type="checkbox"/> Express Mail |
| <input type="checkbox"/> Registered | <input type="checkbox"/> Return Receipt for Merchandise |
| <input type="checkbox"/> Insured Mail | <input type="checkbox"/> C.O.D. |

4. Restricted Delivery? (Extra Fee) ☐ Yes

2. Article Number
 (Transfer from service) 7010 0290 0002 5455 7111

PS Form 3811, February 2004

Domestic Return Receipt

102595-02-M-1540